

**Section 1 – Product and Company Identification**

**MANUFACTURED BY:** Yeou Lih Building Trades Co., Ltd.

**DISTRIBUTED BY:** Eurotiles Industrial Corporation

**COMPANY ADDRESS:** Unit 201 Prestige Tower, F. Ortigas Jr. Ave., Ortigas Center, Pasig City

**TEL:** (632) 635-2310 to 16

**FAX:** (632) 635-2317

**WEBSITE:** www.eurotiles.ph

**PRODUCT:** Crystal Crete 206

**Section 2 – Composition/Information on Ingredients**

Pure substance

**English Name:** Eurotiles Crystal Crete 206

**Synonyms:** --

**Chemical Abstracts Number (CAS No.):** --

**Percentage for Chemical Ingredient (%):** --

Mixing

**Chemical Character**

<b>Hazardous Components Name</b>	<b>Concentration / Percentage</b>
Silicatization Coment	40-50
Alca Contractibility	5-10
Eva Polymnt	1-3
Penetration To Crystallize	1-3
Cellulose Fiber	0-1
Subsiding Of Water	0-1
Silica	40-50

**Section 3 – Hazards Identification**

**Major Hazard Effect**

**Hazard Warnings for Health:** Can cause irritation when ingested

**Hazard Warnings for Environment :** Air pollution

**Physical and Chemical Hazard:** No

**Special Harm:** No

**Main symptom:** None

**Major State:** No

Hazard Category : --

### **Section 4 – First Aid Measure**

#### **Emergency and First Aid Procedures**

Inhalation:	Transfer patient to an open air area and allow to rest
Skin Contact:	Wash with water and soap.
Eye contact:	Rinse with plenty of water, then consult oculist.
Ingestion:	Induce vomiting.
Major Disease and Harm Effect:	No
First-Aid Personal Protection:	Wear respirator, rubber gloves.
Prompt to Doctor:	---

### **Section 5 – Fire Fighting Measures**

Suitable Extinguishing Media:	No
Special Exposure Hazards :	Wear respiratory protection equipment.
Special Extinguishing Procedure:	No

### **Section 6 – Accidental Release Measures**

Personal Protection:	Wear respirator, rubber gloves.
Environmental Protection :	Cause air pollution
Methods for Cleaning Up:	Dispose in secure landfill in accordance with local government regulations.

### **Section 7 – Handling and Storage**

Handling:	Ensure efficient exhaust ventilation in the working area.
Storage:	Keep in cool places; avoid direct sunlight

### **Section 8 – Exposure Controls / Personal Protection**

#### **Engineering Control**

Control Factor:	Eight hours daily average allowable concentration / short time average allowable concentration / maximum allowable concentration
TWA/STEL/CEILING:	----
Biotic Index:	----
<b>Personal Protection Equipment</b>	
Respiratory Protection:	Wear air-supplied respirator.
Hand Protection:	Gloves
Eye Protection:	Goggles
Skin & Body Protection:	No
Hygiene Procedures:	Wash hands after work is completed.

## Section 9 – Physical and Chemical Properties

Appearance:	Stable
Form:	Powdery
Colour:	Grey
Odour:	No
pH:	9-10
Boiling Point:	100°C
Flash Point:	°C °F
Test Method:	Open cup. Close cup
Spontaneous Temperature:	--
Exposure limit:	--
Vapour Pressure:	--
Vapour Density:	ca.0.625
Specific Gravity:	1.0 – 1.1
Solubility in Water:	Soluble

## Section 10 – Stability and Reactivity

Hazardous Reaction:	No
Conditions to avoid:	Produce dust.
Incompatibility:	Keep away from food and drink.

Hazardous Decomposition: No

### **Section 11 – Toxicological Information**

Acute Toxicity: No  
Local Effects: No  
Sensitivity: No  
Chronic toxicity: No  
Exceptional Effect: No

### **Section 12 – Ecological Information**

Possibilities of Environmental Impact: May pollute the water, air and ground.

### **Section 13 – Disposal Information**

Disposal methods: Should be disposed at appropriate incineration unit observing local environmental regulations

### **Section 14 – Transport Information**

International shipping regulations: --  
United Nations Number: --  
Internal transport regulation: --  
Special transport methods and precautions: Away from food, acid and alkali, and placed in the 5 ~ 40 °C  
Special Transport Way and Note: Keep away from food, acids and alkalis. Put between 5 °C and 40 °C

### **Section 15 – Regulation Information**

Apply Regulation: --

### **Section 16 – Other Information**

Reference: --