

EUROTILES SOLARKOTE MATTE/GLOSS 218/220

Section 1 – Product and Company Identification

MANUFACTURED BY: Yulung Paint Manufacturing Co., Ltd.

DISTRIBUTED BY: Eurotiles Industrial Corporation

COMPANY ADDRESS: Unit 201 Prestige Tower, F. Ortigas Jr. Ave.,

Ortigas Center, Pasig City

TEL: (632) 635-2310 to 16

FAX: (632) 635-2317

WEBSITE: www.eurotiles.ph

PRODUCT: SolarKote Matte/Gloss 218/220

Section 2 – Composition/Information on Ingredients

| Chemical Name | CAS No. | Ingredient Percent |
|---------------------------------|---------------|--------------------|
| Poly (Acrylic Acid) Component 1 | 9003-01-04 | 90 |
| Water-borne Additives | Not Available | <2 |

Section 3 – Hazards Identification

Emergency Overview: Irritant

Symbol:



Warning: Warning

Potential Health Effects:

Eye: May cause irritation.

Skin: May cause irritation.

Inhalation: Prolonged or excessive inhalation may cause respiratory

tract irritation.

Ingestion: May be harmful if swallowed. May cause vomiting.

Environment: Water pollution may be harmful to aquatic life.

Other: --



EUROTILES SOLARKOTE MATTE/GLOSS 218/220

Section 4 – First Aid Measure

| 1 | · . | 4 | • | • 1 | ъ. | | | |
|---|-----|-----|---|-----|-----|-----|------|---|
| 1 | нır | 'ST | А | าด | rra | wea | lure | ď |

Inhalation: Take the person out of the contaminated area.

Bring patient an open air area.

If the patient has difficulty breathing, call a

doctor.

Eyes: Promptly wash eyes with plenty of water while

lifting the eyelids.

Continue to rinse for at least 15 minutes and

consult an ophthalmologist.

Skin: Wash the skin immediately with soap and water.

Rinse with water

If the skin irritation persists, get medical

attention.

Ingestion: DO NOT INDUCE VOMITING

Seek medical attention immediately

Section 5 – Fire Fighting Measures

Extinguishing Media: Water spray powder, sand, foam, or CO2

Special firefighting procedures: Containers close to fire should be removed or

cooled with water.

Eliminate all sources of combustion

In case of fire and/or explosion, do not breathe

fumes.

Protective measures in fire: Water individual breathing apparatus

Section 6 – Accidental Release Measures

Personal Protection: Refer to protective measures listed in sections 7

and 8.

Avoid inhaling vapors

Environmental protection: Discharge in sewers is prohibited

Do not allow this chemical to enter the

environment.



EUROTILES SOLARKOTE MATTE/GLOSS 218/220

If the product contaminates lakes, rivers, or sewers, inform appropriate authorities in

accordance with local regulations.

Spill cleanup methods: Absorb in inner damp with non-combustible

material then flush area with water.

Do not contaminate water sources or sewer.

Consult local waste disposal authorities

Section 7 – Handling and Storage

Usage Precautions: Do not smoke when using.

Avoid spilling

Skin and eye contact: Provide showers, eye-baths.

Storage precautions: Keep in cool, dry ventilated storage and closed

containers.

Keep at temperature between 5°C and 30°C.

Avoid storing for a very long period.

Storage criteria: Packing materials recommended

Stainless steel polyethylene

Packing materials not suitable.

Iron, aluminum

Section 8 – Exposure Controls / Personal Protection

Ventilation: Provide adequate general and local exhaust

ventilation.

Respirators: If ventilation is insufficient, suitable respiratory

protection must be provided.

Protective gloves: Wear waterproof gloves.

Eye protection: Wear a face-shield or approved safety goggles.

Other protection: Wear appropriate clothing to prevent any

possibility of liquid contact and repeated or

prolonged vapor contact.

Hygienic work practices: DO NOT SMOKE IN WORK AREA!

Do not eat or drink when handling this material.



EUROTILES SOLARKOTE MATTE/GLOSS 218/220

Wash hand at the end of each work shift and before eating and smoking and using the toilets. Promptly remove any contaminated clothing.

Remove working clothes after work.

Section 9 – Physical and Chemical Properties

Physical State Appearance: Liquid

Flash Point: >90°C (<200°F)

Boiling Point: --

Melting Point:

Density: ---

Viscosity: 500~600 cPs

pH: 8~9

Molecular Formula: Mixture

Molecular Weight: Mixture

Section 10 – Stability and Reactivity

Stability: Stable under normal storage conditions

Condition to avoid: Avoid heat frost

Section 11 – Toxicological Information

According to its composition, this product should not be harmful in normal condition of use.

Section 12 – Ecological Information

Ecological: Use according to the rules of good practice.

Do not discharge into drains or the environment. Dispose to an authorized waste collection point

Section 13 – Disposal Information

Waste Disposal Method: Dispose to an authorized waste collection point

Dispose of In accordance with local authority

requirement

Section 14 – Transport Information

Not required



EUROTILES SOLARKOTE MATTE/GLOSS 218/220

Section 15 –Other Information

Reference:

Council of Labor Affairs – GHS (Global Harmonized Sytem) Database Environmental Protection Administration – Emergency Response Information Center